Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2018 1 Identification · Product identifier Trade name: 40% Acrylamide/Bis Solution, 29:1 · Catalog or product number: 1610146, 1610147, 1610147EDU, 1610146EDU · Application of the substance / the mixture Laboratory chemicals · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Bio-Rad Laboratories, Life Science Group 2000 Alfred Nobel Drive Hercules, California 94547 (510)741-1000 · Information department: lsg_techserv_us@bio-rad.com

• Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT. 510-741-1000

2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

- Acute Tox. 4 H312 Harmful in contact with skin.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Muta. 1B H340 May cause genetic defects.
- Carc. 1B H350 May cause cancer.
- Repr. 2 H361 Suspected of damaging fertility or the unborn child.
- STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.
- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labeling: acrvlamide N,N'-methylenediacrylamide

· Hazard statements

H302+H312 Harmful if swallowed or in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation.

- H317 May cause an allergic skin reaction.
- H340 May cause genetic defects.
- May cause cancer. H350

US

Reviewed on 11/16/2018

Page 2/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2018

Reviewed on 11/16/2018

Trade name: 40% Acrylamide/Bis Solution, 29:1

(Contd.	of	page	1)
---------	----	------	----

H361 Susp	ected of damaging fertility or the unborn child.
H372 Caus	es damage to organs through prolonged or repeated exposure.
 Precautionary st 	atements
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P305+P351+P338	<i>3 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i>
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Emergency over	view:
 Routes of expos 	ure:
Ingestion	
Inhalation	
Skin	
 Classification sy 	stem
 Special Hazards 	
Reproductive toxi	n.
Carcinogen.	
 Other hazards 	
 Results of PBT a 	nd vPvB assessment
 PBT: Not applicat 	ble.
• vPvB: Not applica	able.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with non-hazardous additions.

· Listing of dangerous and non-hazardous components:		
79-06-1	acrylamide	35-50%
	Acute Tox. 3, H301 Muta. 1B, H340; Carc. 1B, H350; Repr. 2, H361; STOT RE 1, H372 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
110-26-9	N,N'-methylenediacrylamide	1-2.5%
	Acute Tox. 3, H301	
Addition	al information For the wording of the listed rick phrases refer to section 15	

• Additional information For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

· Description of first aid measures

· General information

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

US-

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2018

Reviewed on 11/16/2018

Trade name: 40% Acrylamide/Bis Solution, 29:1

(Contd. of page 2)

Immediately rinse with water.

- After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing

Immediately call a doctor.

Rinse mouth with water. Seek medical attention and appropriate follow-up.

· Information for doctor

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters

Protective equipment:

Mount respiratory protective device.

Wear self-contained respiratory protective device.

6 Accidental release measures

Mount rea Wear pro Dilute wit Do not al Methods Absorb w Dispose o Ensure a See Sect See Sect See Sect See Sect	 precautions, protective equipment and emergency procedures spiratory protective device. tective clothing. mental precautions: h plenty of water. low to enter sewers/ surface or ground water. and material for containment and cleaning up: ith liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). contaminated material as waste according to item 13. dequate ventilation. te to other sections ion 7 for information on safe handling ion 13 for disposal information. te Action Criteria for Chemicals 	
· PAC-1:		$0.00 m a/m^{3}$
acrylamic		0.09 mg/m ³
N,N'-methylenediacrylamide		0.64 mg/m ³
• PAC-2:		
79-06-1	acrylamide	44 mg/m³
110-26-9	N,N'-methylenediacrylamide	7.1 mg/m³
· PAC-3:		
79-06-1	acrylamide	100 mg/m³
110-26-9	N,N'-methylenediacrylamide	77 mg/m³
		U

(Contd. on page 4)



Page 4/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2018

Reviewed on 11/16/2018

Trade name: 40% Acrylamide/Bis Solution, 29:1

(Contd. of page 3)

7 Handling and storage

· Handling

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.

79-06-1 acrylamide

- PEL Long-term value: 0.3 mg/m³ Skin
- REL Long-term value: 0.03 mg/m³ Skin; See Pocket Guide App. A
- TLV Long-term value: 0.03* mg/m³ Skin;*inhalable fraction and vapor

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Only use chemical-protective gloves with CE-labeling of category III. Protective gloves.

• Material of gloves Synthetic gloves

(Contd. on page 5)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2018

Trade name: 40% Acrylamide/Bis Solution, 29:1

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses

Tightly sealed goggles.

Information on basic physical and o	hemical properties	
· General Information		
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Odorless Not determined	
· Odor threshold:	Not determined.	
· pH-value at 20 °C:	5.5	
· Change in condition		
Melting point/Melting range:	undetermined	
Boiling point/Boiling range:	100 °C	
· Flash point:	Not applicable	
	Not determined.	
· Flammability (solid, gaseous)	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.00744 g/cm ³	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
· Solvent content:		
Water:	60.0 %	
		(Contd. on page

(Contd. of page 4)

Reviewed on 11/16/2018



Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2018

Reviewed on 11/16/2018

Trade name: 40% Acrylamide/Bis Solution, 29:1

(Contd. of page 5)

Solids content: • Other information 40.0 % No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide

11 Toxicological information

Information on toxicological effects

- · Acute toxicity:
- · LD/LC50 values for hazardous components per OSHA criteria:

79-06-1 acrylamide

Oral LD50 124 mg/kg (rat)

Dermal LD50 400 mg/kg (rat)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritant effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
79-06-1 acrylamide	2A
· NTP (National Toxicology Program)	
79-06-1 acrylamide	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Target organs: Skin.	

Eye.

(Contd. on page 7)



Page 7/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2018

Reviewed on 11/16/2018

Trade name: 40% Acrylamide/Bis Solution, 29:1

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water danger class 3 (Internal calculation) (Self-assessment): extremely hazardous for water. Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

TT Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3426
· UN proper shipping name · DOT, IMDG, IATA · ADR	ACRYLAMIDE SOLUTION 3426 ACRYLAMIDE SOLUTION
· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA · Class · Label	6.1 Toxic substances 6.1
· Packing group · DOT, ADR, IMDG, IATA	111
 Environmental hazards: Marine pollutant: 	No
 Special precautions for user Danger code (Kemler): 	Warning: Toxic substances 60
	(Contd. on page

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2018

Reviewed on 11/16/2018

Trade name: 40% Acrylamide/Bis Solution, 29:1

	(Contd. of page
 EMS Number: Stowage Category Stowage Code Handling Code 	F-A,S-A A SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable
 Transport in bulk according to Annex II of MAI and the IBC Code 	RPOL73/78 Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	Void Void
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3426 ACRYLAMIDE SOLUTION, 6.1, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture • SARA (Superfund Amendents and Reauthorization Act of 1986 - USA)

 Section 302/304 (40CFR355.30 / 40CFR355.40): 		
79-06-1 acrylamide		
· Section 313 (40CFR372.65):		
79-06-1 acrylamide		
· TSCA (Toxic Substances Control Act):		
All ingredients are listed.		
· TSCA new (21st Century Act)		
79-06-1 acrylamide	ACTIVE/EXEMPT	
110-26-9 N,N'-methylenediacrylamide	ACTIVE/EXEMPT	
· California Proposition 65:		
None of the ingredients is listed.		
Chemicals known to cause cancer:		
79-06-1 acrylamide	*	
· Developmental Toxicity		
79-06-1 acrylamide	* 38.7000%	
	(Contd. on page 9)	

Page 9/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2018

Reviewed on 11/16/2018

Trade name: 40% Acrylamide/Bis Solution, 29:1

(Contd. of page 8)

L

AЗ

· Carcinogenic categories

· EPA (Environmental Protection Agency)

79-06-1 acrylamide

· TLV (Threshold Limit Value established by ACGIH)

79-06-1 acrylamide

· NIOSH-Ca (National Institute for Occupational Safety and Health)

79-06-1 acrylamide

· National regulations

• Additional classification according to Decree on Hazardous Materials, Annexe II: Carcinogenic hazardous material group III (dangerous)

Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Technical instructions (air):

 Class
 Share in %

 II
 35-50

- · Water hazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental Health and Safety.

Contact:

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000 · Date of preparation / last revision 11/16/2018 / -

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

US

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2018

Reviewed on 11/16/2018

Trade name: 40% Acrylamide/Bis Solution, 29:1

(Contd. of page 9)

IC

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1 Muta. 1B: Germ cell mutagenicity – Category 1B Carc. 1B: Carcinogenicity – Category 1B Repr. 2: Reproductive toxicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 • * **Data compared to the previous version altered.** Page 10/10