

SAFETY DATA SHEET

Creation Date 13-Oct-2009

Revision Date 18-Jan-2018

Revision Number 5

1. Identification

Product Name Ethyl acetate

Cat No. :

CAS-No Synonyms 141-78-6 Acetic acid ethyl ester

BP1125-1; BP1125-4

Recommended Use Uses advised against Laboratory chemicals. Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Central nervous system (CNS). Category 2 Category 2 Category 3

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor Causes serious eye irritation May cause drowsiness or dizziness



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Keep cool

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Inhalation

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Ethyl acetate	141-78-6	>95
4. First-aid measures		

General Advice If symptoms persist, call a physicia	General Advice	If symptoms persist, call a physician
---	----------------	---------------------------------------

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

Move to fresh air. If not breathing, give artificial respiration. Get medical attention if

	symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effects	Breathing difficulties. May cause central nervous system depression: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically
	5. Fire-fighting measures
Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable Extinguishing Media	Water may be ineffective, Do not use a solid water stream as it may scatter and spread fire
Flash Point	-4 °C / 24.8 °F

Method -	Closed cup
Autoignition Temperature	427 °C / 800.6 °F
Explosion Limits	

Explosion LimitsUpper11.5 vol %Lower2.0 vol %Oxidizing PropertiesNot oxidising

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO₂)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

|--|

Health 2	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions	Use personal protective equipment. Ensure adequate ventilation. Should not be released into the environment. See Section 12 for additional ecological information.		

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Ensure adequate ventilation. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.
Storage	Flammables area. Keep away from heat and sources of ignition. Keep container tightly closed in a dry and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Ethyl acetate	TWA: 400 ppm	(Vacated) TWA: 400 ppm	IDLH: 2000 ppm	TWA: 400 ppm
		(Vacated) TWA: 1400 mg/m ³	TWA: 400 ppm	TWA: 1400 mg/m ³
		TWA: 400 ppm	TWA: 1400 mg/m ³	-
		TWA: 1400 mg/m ³	_	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Long sleeved clothing.
Respiratory Protection	No protective equipment is needed under normal use conditions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physica	al and chemical properties
Physical State	Liquid
Appearance	Colorless
Odor	sweet
Odor Threshold	50 ppm
рН	No information available
Melting Point/Range	-83.5 °C / -118.3 °F
Boiling Point/Range	75 - 78 °C / 167 - 172.4 °F
Flash Point	-4 °C / 24.8 °F
Method -	Closed cup
Evaporation Rate	6.2
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	11.5 vol %
Lower	2.0 vol %
Vapor Pressure	103 mbar @ 20°C
Vapor Density	3.04
Specific Gravity	0.902
Solubility	Slightly soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	427 °C / 800.6 °F
Decomposition Temperature	No information available
Viscosity	0.45 cP @ 20 °C
Molecular Formula	C4 H8 O2
Molecular Weight	88.11
Surface tension	24 mN/m @ 20°C

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.	
Incompatible Materials	Strong oxidizing agents, Strong acids, Amines, Peroxides	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information Component Information

Component	Component LD50 Oral		LC50 Inhalation
Ethyl acetate	10,200 mg/kg(Rat)	> 20 mL/kg(Rabbit) > 18000 mg/kg (Rabbit)	58 mg/l (rat; 8 h)
Toxicologically Synergistic	No information available		
Products			
Delayed and immediate effects	as well as chronic effects fror	n short and long-term exposur	e
Irritation	Irritating to eyes		

Irritating to eyes

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico		
Ethyl acetate	141-78-6	Not listed	Not listed	Not listed	Not listed	Not listed		
Mutagenic Effects	Mutagenic Effects		ailable					
Reproductive Effect	S	No information ava	ailable.					
Developmental Effe	cts	No information ava	ailable.					
Teratogenicity		No information ava	ailable.					
STOT - single exposure STOT - repeated exposure		Central nervous system (CNS) None known						
Aspiration hazard		No information available						
Symptoms / effects,both acute and delayed		d May cause central nervous system depression: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting						
Endocrine Disruptor Information		No information available						
Other Adverse Effect	cts	The toxicological p	properties have not	been fully investig	gated.			
		12. Ecol	ogical infor	mation				

Ecotoxicity Do not empty into drains.

Component	Freshv	ater Algae	Freshwat	ter Fish	Micr	otox	Water Flea
Ethyl acetate		300 mg/L/48h	Fathead minno		EC50 = 1180		EC50 = 717 mg/L/48h
	2000 - 0	000 mg/L/ 10m	mg/l/		EC50 = 1500	mg/L 15 min	
			Gold orfe: L		EC50 = 5870		
			mg/L/	'48h		00 mg/L 2 h	
Persistence and Degrad	Persistence i	is unlikely base	ed on inform	ation available	e.		
Bioaccumulation/ Accun	ioaccumulation/ Accumulation No information available.						
Mobility		Will likely be	mobile in the e	environment	due to its vola	atility.	
	Componen	t				log Pow	
	Ethyl acetat	e				0.6	
		13. Di	sposal co	onsider	ations		
Waste Disposal Methods	5						chemical is classified as a
							ocal, regional, and
		national haza	ardous waste r	egulations to	o ensure com	plete and acc	urate classification.
				LL Cariaa W		DOD	D Corrigo Waster
	onent e - 141-78-6		RURA	- U Series W U112	astes	KCR/	A - P Series Wastes
	e - 141-78-0			0112		L	-
		4 4 -					
		14. 1	ransport	Inform	ation		
DOT							
UN-No		UN1173					
Proper Shipping Nan	ne	ETHYL ACE	TATE				
Hazard Class		3					
Packing Group		II					
<u>TDG</u>							
UN-No Deserver Objective New		UN1173	татг				
Proper Shipping Nan Hazard Class	ne	ETHYL ACE	IAIE				
		3 II					
Packing Group IATA		11					
UN-No		UN1173					
Proper Shipping Nan	no	ETHYL ACE	TATE				
Hazard Class		3	.,,,,_				
Packing Group		Ű					
IMDG/IMO		-					
UN-No		UN1173					
Proper Shipping Nan	ne	ETHYL ACE	TATE				
Hazard Class		3					
Packing Group		Ĩ.					
- ·		15 P	egulatory	, inform	ation		
		10.10	egulator	y milorit			

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Ethyl acetate	Х	Х	-	205-500-4	-		Х	Х	Х	Х	Х
l a nam da											

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)	Not applicable
SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Ethyl acetate	5000 lb	-
California Proposition 65	his product does not contain any Proposition 65	chemicals

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl acetate	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Υ
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	13-Oct-2009 18-Jan-2018 18-Jan-2018 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS