

DACONIL 2787 FLOWABLE

Version 1.0 Revision Date: 07/25/2023 SDS Number: S1126607913 This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : DACONIL 2787 FLOWABLE
Design code : A7867B

Product Registration number : 15724

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.
Address : 140 Research Lane, Research Park
Guelph ON N1G 4Z3
Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)
Telefax : 1-519-823-0504

E-mail address :
Emergency telephone number : 1-800-327-8633 (FAST MED)

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the Hazardous Products Regulations**

Acute toxicity (Inhalation) : Category 2
Serious eye damage : Category 1
Skin sensitisation : Sub-category 1B
Carcinogenicity : Category 2
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.

DACONIL 2787 FLOWABLE

Version 1.0 Revision Date: 07/25/2023 SDS Number: S1126607913 This version replaces all previous versions.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
chlorothalonil (ISO)	chlorothalonil (ISO)	1897-45-6	40
propane-1,2-diol	propane-1,2-diol	57-55-6	$\geq 5 - < 10$ *
silicon dioxide, chemically prepared	silicon dioxide, chemically prepared	112926-00-8	$\geq 1 - < 5$ *

* Actual concentration or concentration range is withheld as a trade secret

DACONIL 2787 FLOWABLE

Version 1.0	Revision Date: 07/25/2023	SDS Number: S1126607913	This version replaces all previous versions.
----------------	------------------------------	----------------------------	--

SECTION 4. FIRST AID MEASURES

- | | | |
|---|---|---|
| General advice | : | Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment. |
| If inhaled | : | Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately. |
| In case of skin contact | : | Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required. |
| If swallowed | : | If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting. |
| Most important symptoms and effects, both acute and delayed | : | Nonspecific
No symptoms known or expected. |
| Notes to physician | : | There is no specific antidote available.
Treat symptomatically. |

SECTION 5. FIREFIGHTING MEASURES

- | | | |
|---|---|--|
| Suitable extinguishing media | : | Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray |
| Unsuitable extinguishing media | : | Do not use a solid water stream as it may scatter and spread fire. |
| Specific hazards during fire-fighting | : | As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health. |
| Further information | : | Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray. |
| Special protective equipment for firefighters | : | Wear full protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Refer to protective measures listed in sections 7 and 8. |
|---|---|--|

DACONIL 2787 FLOWABLE

Version 1.0 Revision Date: 07/25/2023 SDS Number: S1126607913 This version replaces all previous versions.

- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
chlorothalonil (ISO)	1897-45-6	TWA	0.1 mg/m ³	Syngenta
propane-1,2-diol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m ³	CA ON OEL
		TWA (aerosol)	10 mg/m ³	CA ON OEL
silicon dioxide, chemically prepared	112926-00-8	TWA	10 mg/m ³	CA ON OEL
		TWA (Respirable)	1.5 mg/m ³	CA BC OEL
		TWA (Total)	4 mg/m ³	CA BC OEL
		TWAEV (respirable dust)	6 mg/m ³	CA QC OEL

- Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

DACONIL 2787 FLOWABLEVersion
1.0Revision Date:
07/25/2023SDS Number:
S1126607913

This version replaces all previous versions.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Suitable respiratory equipment:
Respirator with a half face mask
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Face-shield

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous, suspension

DACONIL 2787 FLOWABLE

Version 1.0	Revision Date: 07/25/2023	SDS Number: S1126607913	This version replaces all previous versions.
----------------	------------------------------	----------------------------	--

Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.25 g/cm ³ (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	No dangerous reaction known under conditions of normal use.

DACONIL 2787 FLOWABLE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	07/25/2023	S1126607913	

tions

Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity**Product:**

Acute inhalation toxicity : Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute toxicity estimate: 0.25 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**chlorothalonil (ISO):**

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): 0.10 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg

Skin corrosion/irritation**Components:****chlorothalonil (ISO):**

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation**Components:****chlorothalonil (ISO):**

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.

DACONIL 2787 FLOWABLEVersion
1.0Revision Date:
07/25/2023SDS Number:
S1126607913

This version replaces all previous versions.

Respiratory or skin sensitisation**Components:****chlorothalonil (ISO):**

Species : Humans
Result : The product is a skin sensitiser, sub-category 1B.
Remarks : In very rare cases may cause an allergic response of the respiratory system.

Germ cell mutagenicity**Components:****chlorothalonil (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity**Components:****chlorothalonil (ISO):**

Carcinogenicity - Assessment : Chlorothalonil causes kidney tumours in rats and mice via a non-genotoxic mode of action secondary to target organ toxicity.
,Limited evidence of carcinogenicity in animal studies

Reproductive toxicity**Components:****chlorothalonil (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure**Components:****chlorothalonil (ISO):**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure**Components:****chlorothalonil (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

DACONIL 2787 FLOWABLE

Version 1.0	Revision Date: 07/25/2023	SDS Number: S1126607913	This version replaces all previous versions.
----------------	------------------------------	----------------------------	--

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****chlorothalonil (ISO):**

- | | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.039 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.17 mg/l
Exposure time: 48 h

EC50 (Invertebrates): 0.074 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.013 mg/l
Exposure time: 72 h

NOEC (Navicula pelliculosa (Freshwater diatom)): 0.0035 mg/l
End point: Growth rate
Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.015 mg/l
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.006 mg/l
End point: Growth rate
Exposure time: 72 h |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Pimephales promelas (fathead minnow)): 0.0014 mg/l
Exposure time: 297 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | EC10 (Daphnia magna (Water flea)): 0.035 mg/l
Exposure time: 21 d

NOEC (Americamysis): 0.0004 mg/l
Exposure time: 28 d |

Persistence and degradability**Components:****chlorothalonil (ISO):**

- | | | |
|--------------------|---|---|
| Biodegradability | : | Result: Not readily biodegradable. |
| Stability in water | : | Degradation half life: 0.4 - 6 d (20 °C)
Remarks: Product is not persistent. |

Bioaccumulative potential**Components:****chlorothalonil (ISO):**

DACONIL 2787 FLOWABLE

Version 1.0	Revision Date: 07/25/2023	SDS Number: S1126607913	This version replaces all previous versions.
----------------	------------------------------	----------------------------	--

Bioaccumulation : Bioconcentration factor (BCF): 340
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 2.94 (25 °C)

Mobility in soil**Components:****chlorothalonil (ISO):**

Distribution among environmental compartments	: Remarks: Chlorothalonil has low to slight mobility in soil.
Stability in soil	: Dissipation time: 5 d Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects**Components:****chlorothalonil (ISO):**

Results of PBT and vPvB assessment	: This substance is not considered to be very persistent and very bioaccumulating (vPvB). This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
------------------------------------	---

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Refer to the product label for specific disposal/recycling information Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	: Refer to the product label for specific disposal/recycling information Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLOROTHALONIL)

DACONIL 2787 FLOWABLE

Version 1.0 Revision Date: 07/25/2023 SDS Number: S1126607913 This version replaces all previous versions.

Class : 9
 Packing group : III
 Labels : 9
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (CHLOROTHALONIL)
 Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 964
 Packing instruction (passenger aircraft) : 964
 Environmentally hazardous : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLOROTHALONIL)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLOROTHALONIL)
 Class : 9
 Packing group : III
 Labels : 9
 ERG Code : 171
 Marine pollutant : yes(CHLOROTHALONIL)
 Remarks : Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle.

DACONIL 2787 FLOWABLE

Version 1.0	Revision Date: 07/25/2023	SDS Number: S1126607913	This version replaces all previous versions.
----------------	------------------------------	----------------------------	--

1.45.1. SOR/2008-34

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Warning, contains the allergen 1,2-benzisothiazolin-3-one

Warning

Canadian PBT Chemicals : This product contains the following components on the DSL that are classified as Persistent, Bioaccumulative and/or Toxic (PBT) under CEPA:

octamethylcyclotetrasiloxane [D4]

NPRI Components : trisodium nitrilotriacetate

The components of this product are reported in the following inventories:

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

Oxirane, 2-methyl-, polymer with oxirane

wollastonite (Ca(SiO₃))

Magnesium calcium silicate

limestone

Feldspar-group minerals

Canadian lists

The following substance(s) is/are subject to a Significant New Activity Notification:
chlorothalonil (ISO) 1897-45-6

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

CA BC OEL : Canada. British Columbia OEL

CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.

CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Syngenta : Syngenta Occupational Exposure Limit

DACONIL 2787 FLOWABLE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	07/25/2023	S1126607913	

CA BC OEL / TWA	:	8-hour time weighted average
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWA EV	:	Time-weighted average exposure value
Syngenta / TWA	:	Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	07/25/2023
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN