### MATERIAL SAFETY DATA SHEET

Product Name: VCX-202, 203, 204, 205, 254, 294, Molten Steel Insulation, Vermiculite Concentrate MSDS ID Number: Z-01704 MSDS Date: 10/31/07

**SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION** 

**Product Name:** VCX-202, 203, 204, 205, 254, 294, Molten Steel Insulation,

Vermiculite Concentrate

MSDS Number: Z-01704 Cancelled MSDS Number: Z-01635 MSDS Date: 10/31/2007

Chemical Family Name: Enoree, South Carolina Vermiculite Concentrate; Magnesium-

Aluminosilicate Mineral Various Industrial Uses

Product Use: Various Indu Chemical Formula: N/AP

CAS # (Chemical Abstracts Service N/AP

Number):

Manufactured by:

W.R.Grace & Co.-Conn.

62 Whittemore Avenue

Cambridge, MA 02140

Grace Canada, Inc.

294 Clements Road West

Ajax, Ontario L1S 3C6

In Case of Emergency Call:

In USA: (617) 876-1400 In Canada: (905) 683-8561

## **SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient	CAS#	Percent (max)
Quartz	014808-60-7	1-10
Vermiculite	001318-00-9	50-100

## **SECTION 3 - HAZARDS IDENTIFICATION**

## **Emergency Overview:**

## Caution!

Causes eye irritation.

Causes respiratory tract irritation.

May cause risk of lung disease (i.e. silicosis and/or lung cancer).

### **HMIS** Rating:

Health: 1\*
Flammability: 0
Reactivity: 0

Personal Protective Equipment: E (See Section 8)

## **Potential Health Effects:**

**Inhalation:** Causes respiratory tract irritation. Effects include: Coughing, shortness of breath, wheezing and reduced pulmonary function from pneumoconiosis (dusty lungs). . Prolonged inhalation of reparable crystalline silica dust can result in lung disease, (i.e. silicosis and/or lung disease).

Eye Contact: Eye contact causes irritation.

**Skin Contact:** Skin contact is not expected to cause any harmful effects. **Skin Absorption:** Not expected to be harmful if absorbed through the skin.

**Ingestion:** Ingestion not expected to be harmful.

Effects include: No other effects expected unless listed below.

# **SECTION 4 - FIRST AID MEASURES:**

**Skin Contact:** Wash with soap and water.

If discomfort or irritation persists, consult a physician. Remove contaminated clothing and wash before reuse.

Eye Contact: Flush eyes with water for at least 15 minutes while holding eyelids open.

If discomfort or irritation persists, consult a physician.

**Ingestion:** Ingestion not expected to be harmful.

Inhalation: If symptoms develop, get fresh air. If symptoms persist, consult a physician.

If breathing has stopped, give artificial respiration then oxygen if needed.

### MATERIAL SAFETY DATA SHEET

Product Name: VCX-202, 203, 204, 205, 254, 294, Molten Steel Insulation, Vermiculite Concentrate MSDS ID Number: Z-01704 MSDS Date: 10/31/07

## **SECTION 5 - FIRE AND EXPLOSION HAZARD DATA**

Flash Point:

Flash Point Method:

Lower Explosion Limit:

Upper Explosion Limit:

Auto-Ignition Temperature:

Not Applicable

Not Available

Not Available

**NFPA Rating:** 

Health: 1
Flammability: 0
Reactivity: 0

Extinguishing Media: Not Applicable. Product will not burn.

Special Fire Fighting Procedures: None

Unusual Fire and Explosion Hazards: None unless noted below.

# **SECTION 6 - ACCIDENTAL RELEASE MEASURES:**

**Spills/Leaks:** Dampen with water spray or use other methods to clean spill which avoid creating dust. Discard empty packaging promptly. Avoid excessive handling of empty packaging, which may result in unnecessary release of airborne particulates.

Use proper personal protective equipment. Do not flush to sewer or allow to enter waterways. Keep unnecessary people away.

## **SECTION 7 - HANDLING AND STORAGE**

Precautionary Measures: Avoid contact with eyes, skin and clothing.

Avoid creating and inhaling airborne dust or particulates.

Use only with adequate ventilation.

Wash clothing before reuse.

Provide respiratory protection if needed.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

# <u>SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT EXPOSURE GUIDELINES (US)</u>

Ingredient	ACGIH TLV			OSHA PEL				
	TWA	STEL	Ceiling	TWA	STEL	Ceiling	Other	
Vermiculite	-	-	-	-	-	-	-	
Quartz	0.025 mg/m3 TWA (respirable fraction)	-	-	((250)/(%SiO2 + 5) mppcf TWA (respirable)); ((10)/(%SiO2 + 2) mg/m3 TWA (respirable)); ((30)/(%SiO2 + 2) mg/m3 TWA (total dust))	-	-		

In addition to the exposure limits referenced above, the following non-specific limits for dust apply to this product; OSHA, 15 mg/m3-TWA or Total Dust and 5 mg/m3-TWA as Respirable Dust, ACGIH, 10 mg/m3-TWA as Total Dust and 3 mg/m3-TWA as Respirable Dust.

## **EXPOSURE GUIDELINES (CANADA)**

Employers should consult local Provincial regulatory limits for exposure guidelines which may vary locally.

Engineering Controls: General ventilation may be desirable and should be used where appropriate.

# **Personal Protective Equipment:**

**Respiratory Protection:** Respiratory protection may be desirable if dust is created in handling and is required at or above the Permissible Exposure Limit (PEL) for nuisance particulates.

Skin Protection: Gloves are recommended.

Eye Protection: Safety glasses or goggles should be worn.

Work/Hygienic Practices: Use good personal hygiene practices.

Quartz (Crystalline silica) is a naturally-occurring mineral that is commonly contained in materials that are mined from the earth's surface such as sand, limestone, clay and gypsum (Calcium sulfate). Total quartz is a value usually representing the combined fractions of large, nonrespirable sized particles and of respirable sized particles (less than ten microns in

### MATERIAL SAFETY DATA SHEET

Product Name: VCX-202, 203, 204, 205, 254, 294, Molten Steel Insulation, Vermiculite Concentrate MSDS ID Number: Z-01704 MSDS Date: 10/31/07

aerodynamic diameter). It is only the respirable fraction of total quartz that is recognized as hazardous by professionals in the field of Occupational Health and by most regulatory agencies.

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES** 

**Physical State:** 

Brown to golden brown in color. Flake shaped. No odor. Appearance/Odor:

Odor Threshold: (ppm) Not Determined 7.0 (In water) Unknown Vapor Pressure: (Mm Hg) Vapor Density: (Air = 1) Unknown Solubility In Water: Negligible **Specific Gravity**: (Water = 1) Not Available **Evaporation Rate:** (Butyl Acetate = 1) Unknown

**Boiling Point:** >212°F/100°C Viscosity: Unknown 40-65

Bulk Density: (Pounds/Cubic

Foot)(Pcf)

% Volatiles (gr/L): (70°F)(21°C) Not Applicable

**SECTION 10 - STABILITY AND REACTIVITY** 

**Chemical Stability:** Stable

**Conditions To Avoid:** None known for this product.

**Hazardous Polymerization:** Will not polymerize.

**Hazardous Decomposition Products:** None known for this product.

**SECTION 11 - TOXICOLOGICAL INFORMATION** 

Ingredient(No data unless listed.) CAS Number LD50 and LC50

Carcinogenicity:

Ingredient	IARC Group 1	IARC Group 2A	IARC Group 2B	NTP Known	NTP Suspect	OSHA
Quartz	Yes	No	No	Yes	No	Yes
Vermiculite	No	No	No	No	No	No

Not applicable. **Mutagenicity:** Teratogenicity: Not applicable. **Reproductive Toxicity:** Not applicable.

**SECTION 12 - ECOLOGICAL INFORMATION** 

**Environmental Fate:** No data available for product. **Ecotoxicity:** No data available for product.

# **SECTION 13 - DISPOSAL CONSIDERATIONS**

Waste Disposal Procedures: Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing waste for disposal. According to EPA (40 CFR § 261), waste of this product is not defined as hazardous. Dispose of waste in accordance with all applicable regulations.

**SECTION 14 - TRANSPORTATION INFORMATION** 

**Proper Shipping Name:** Not Applicable Not Applicable **UN/NA Number: Domestic Hazard Class:** Nonhazardous Surface Freight Classification: Crude Vermiculite Ore Label/Placard Required: Not Applicable

**SECTION 15 - REGULATORY INFORMATION** 

**REGULATORY CHEMICAL LISTS:** 

**CERCLA (Comprehensive Response Compensation and Liability Act):** 

(None present unless listed below)

**Chemical Name** CAS# Wt % **CERCLA RQ** 

SARA Title III (Superfund Amendments and Reauthorization Act)

SARA Section 312/Tier I & II Hazard Categories:

## MATERIAL SAFETY DATA SHEET

Product Name: VCX-202, 203, 204, 205, 254, 294, Molten Steel Insulation, Vermiculite Concentrate MSDS ID Number: Z-01704 MSDS Date: 10/31/07

Health Immediate (acute)
Health Delayed (chronic)
Flammable
Reactive
No
Pressure
Yes
No

302 Reportable Ingredients (Identification Threshold 1%.):

Chemical Name CAS # Wt % SARA 302 TPQ

313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):
Chemical Name

CAS # Wt %

National Volatile Organic Compound Emission Standards For Architectural Coatings:

Volatile Organic Content: (gr/L) Not Applicable WHMIS Classification(s): D2 A

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR). This MSDS contains all the information required by the CPR.

**State Regulatory Information:** 

**California Proposition 65:** WARNING! This product contains substances known to the state of California to cause cancer, birth defects or other reproductive harm.

Massachusetts Hazardous Substance List(Identification threshold 0.0001%(1ppm)):

 Chemical Name
 CAS #
 Wt %

 Quartz
 014808-60-7
 1

**New Jersey Hazardous Substance List(Identification threshold (0.1%)):** 

Chemical Name CAS # Wt %

Pennsylvania Hazardous Substance List(Identification threshold 0.01%):

## **CHEMICAL INVENTORY STATUS:**

All chemicals in this product are listed or exempt from listing in the following countries:

US	CANADA		EUROPE	AUSTRALIA	JAPAN	KOREA	PHILIPPINES
TSCA	DSL	NDSL	EINECS/ELINCS	AICS	ENCS	ECL	PICCS
Yes	Yes	No	Yes	Yes	Yes	Yes	Yes

## **SECTION 16 - OTHER INFORMATION**

## **Non-Hazardous Ingredient Disclosure:**

<u>Chemical Name</u> <u>CAS Number</u>

Prepared by: EH&S Department Approved Date: EH&S Department 10/31/2007

### Disclaimer:

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."