

SDS

SAFETY DATA SHEET

Oakwood Products, Inc
730 Columbia HWY N
Estill, SC 29918
www.oakwoodchemical.com

Phone Numbers:

Product Information	803-739-8800
Transportation Emergency	800-451-8346
Outside the USA	760-602-8700

MATERIAL IDENTIFICATION

NAME: **Copper (I) iodide**

CAS#: [7681-65-4]

CAT#: 044771

For R&D use only.

HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity, oral (Category 4)

Skin corrosion/irritation (Category 2)

Sensitisation, Skin (Category 1)

Serious eye damage/eye irritation (Category 1)

Respiratory tract irritation (Category 3)

Hazardous to the aquatic environment, long-term hazard (Category 1)

GHS Label elements, including precautionary statements**Pictograms****Signal Word**

Danger

Hazard Statement(s)

H302

Harmful if swallowed

H315

Causes skin irritation

H317

May cause an allergic skin reaction

H318

Causes serious eye damage

H335

May cause respiratory irritation

H410

Very toxic to aquatic life with long lasting effects

Precautionary Statement(s)

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P273

Avoid release to the environment.

P280

Wear protective gloves/protective clothing/eye protection/face

	protection.
P301 + P312	IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.
P302 + P352	IF ON SKIN: wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	IF SKIN irritation or rash occurs: Get medical advice/attention.

COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms	: Cuprous iodide
Formula	: Cul
Molecular Weight	: 190.44 g/mol

CAS	Description	Concentration
7681-65-4	Copper (I) iodide	98%

FIRST AID MEASURES

In case of eye contact

Immediately flush eyes with running water for at least 15 minutes while keeping eyes open. Seek medical attention.

In case of skin contact

Wash thoroughly with soap and plenty of water. Seek medical attention.

If inhaled

Remove victim from source of exposure to fresh air. If breathing is difficult, administer oxygen. Seek medical attention.

If swallowed

Do not induce vomiting. Give water to victim to drink. Seek medical attention.

FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use carbon dioxide, dry chemical powder, alcohol-resistant or polymer foam.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Unusual fire and explosion hazards/decomposition of product

emits toxic fumes under fire conditions.

ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing fumes, vapors, mists or gas. Ventilate area. Remove all sources of ignition. Evacuate personnel.

Environmental precautions

Prevent further leakage if safe to do so.

Methods and materials for containment and clean up

Absorb spills on sand or vermiculite and place in closed container for disposal.

HANDLING AND STORAGE**Precautions for safe handling**

Avoid prolonged use. Avoid all direct contact with material. Do not breathe dust or vapor. Wash thoroughly after handling.

Precautions for safe storage

Keep container tightly closed. Store in a cool, dry, well-ventilated area.
Light sensitive.

EXPOSURE CONTROL/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment**Eye/face protection**

Wear protective safety goggles or face shields tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Hand/skin protection

Avoid all direct contact with product.
Wear chemical-resistant gloves.
Wear protective clothing and boots.
After contact with skin, wash immediately.

Respiratory protection

Ensure adequate ventilation during use. Approved respiratory equipment must be used when airborne concentrations are unknown or exceed the exposure limits.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Solid
Odour	no data available
Odour Threshold	no data available
Melting point/Freezing Point	605°C
Boiling Point	no data available
Flash Point	no data available
Evaporation Rate	no data available
Flammability (solid, gas)	no data available
Upper/Lower Flammability or Explosive limits	no data available
Vapour pressure	no data available
Relative Density	5.62
Solubility(ies)	potassium iodide
Partition coefficient: n-octanol/water	no data available

Auto-ignition temperature	no data available
Decomposition temperature	no data available
Viscosity	no data available
Refractive Index	no data available

STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

Light.

Incompatible materials

Strong oxidizing agents and potassium, alkali metals.

Hazardous decomposition products

May evolve carbon monoxide, carbon dioxide, and hydrogen iodide.

TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

Rat - female - 300-2,000 mg/kg

Dermal LD50

Rat - male and female - >2,000 mg/kg

Skin corrosion/irritation

Causes skin irritation

Serious eye damage/eye irritation

Rabbit - Risk of serious damage to eyes.

Respiratory or skin sensitization

Maximisation test - Guinea pig

Result: May cause sensitisation by skin contact.

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

May cause respiratory irritation

STOT-repeated exposure

no data available

Aspiration hazard

no data available

Exposure Routes

Harmful to skin, eyes, and respiratory system.

May be toxic if inhaled or swallowed.

Signs and Symptoms of Exposure

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney

and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma.

Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and

demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It

has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis.

Target Organs

Liver

To the best of our knowledge, the health hazards of this material have not been fully investigated.

ECOLOGICAL INFORMATION**Toxicity**

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

DISPOSAL CONSIDERATIONS

Dissolve in or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all Federal, State and local laws.

TRANSPORT INFORMATION**DOT**

Environmentally hazardous substance, solid, n.o.s.

9

UN3077 III

IMDG

Environmentally hazardous substance, solid, n.o.s.

9

UN3077 III

EMS-No: F-A, S-F

Marine Pollutant: No

IATA

Environmentally hazardous substance, solid, n.o.s.

9

UN3077 III

REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313.

New Jersey Right to Know Components

This product may contain a chemical on the New Jersey Right to Know Components List.

CAS

Copper (I) iodide

7681-65-4

California Prop. 65 Components

This product does not contain a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

OTHER INFORMATION

Version : 1.3

Revision Date : 3/27/2018

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Oakwood shall not be held liable for any damage resulting from handling or from contact with the above product.