

	Revision Date 10/23/2017	Version 1.3
SISECTION 1.Identification		
Product identifier		
Product number	845111	
Product name	Piperidine Msynth®plus	
CAS-No.	110-89-4	
Relevant identified uses of th	ne substance or mixture and uses advised against	
Identified uses	Pharmaceutical production, Chemical for synthesis	
Details of the supplier of the	safety data sheet	
Company	EMD Millipore Corporation 290 Concord Road, Billerica, MA 0182 United States of America General Inquiries: +1-978-715-4321 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany	
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week	

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 2, H225 Acute toxicity, Category 4, Oral, H302 Acute toxicity, Category 3, Inhalation, H331 Acute toxicity, Category 3, Dermal, H311 Skin corrosion, Category 1B, H314 Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.



Signal Word Danger

Hazard Statements H225 Highly flammable liquid and vapor.

Product number	845111	Version 1.3
Product name	Piperidine Msynth®plus	

H302 Harmful if swallowed.

H311 + H331 Toxic in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P322 Specific measures (see supplemental first aid instructions on this label).

P361 Remove/Take off immediately all contaminated clothing.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula	C₅H₁₁N (Hill)
Molar mass	85.15 g/mol

Hazardous ingredients

Chemical name (Concentration) CAS-No. *Piperidine (>= 90 % - <= 100 %)* 110-89-4

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Product number	845111	Version 1.3
Product name	Piperidine Msynth®plus	

General advice

First aider needs to protect himself.

Inhalation

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, respiratory paralysis, Shortness of breath, Thirst, Nausea, Vomiting, Headache, muscular symptoms, Salivation, Impairment of vision, paralysis symptoms, death Risk of blindness!

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapors possible in the event of fire. Forms explosive mixtures with air at ambient temperatures. Fire may cause evolution of: nitrous gases

Advice for firefighters

Special protective equipment for fire-fighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Product number	845111	Version 1.3
Product name	Piperidine Msynth®plus	

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Store below +30°C (+86°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Product number	845111	Version 1.3
Product name	Piperidine Msynth®plus	

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection Tightly fitting safety goggles

Hand protection

full contact:

	Glove material:	butyl-rubber
	Glove thickness:	0.7 mm
	Break through time:	480 min
splash contact:		
	Glove material:	Nitrile rubber
	Glove thickness:	0.40 mm
	Break through time:	120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapors/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapors of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties				
	Physical state	liquid		
	Color	colorless		
	Odor	amine-like		
	Odor Threshold	Do not attempt to smell the product as it is hazardous.		
	рН	12.6 at 100 g/l 68 °F (20 °C)		

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

duct number duct name	845111 Piperidine Msynth®plus	Version
Melting point	12.6 °F (-10.8 °C)	
	at 1,013 hPa	
Boiling point/boiling range	223 °F (106 °C) at 1,013 hPa	
Flash point	61 °F (16 °C) Method: DIN 51755 Part 1	
Evaporation rate	No information available.	
Flammability (solid, gas)	No information available.	
Lower explosion limit	1.5 %(V)	
Upper explosion limit	10.3 %(V)	
Vapor pressure	34 hPa at 68 °F (20 °C)	
Relative vapor density	3.0	
Density	0.86 g/cm3 at 68 °F (20 °C) Method: OECD Test Guideline 109	
Relative density	No information available.	
Water solubility	at 68 °F (20 °C) miscible	
Partition coefficient: n- octanol/water	log Pow: 0.84 (experimental) (Lit.) Bioaccumulation is not expected.	
Autoignition temperature	No information available.	
Decomposition temperature	> 212 °F (> 100 °C)	
Viscosity, dynamic	1.46 mPa.s at 68 °F (20 °C)	
Explosive properties	Not classified as explosive.	
Oxidizing properties	none	
Ignition temperature	608 °F (320 °C) Method: DIN 51794	

Product number Product name	845111 Piperidine Msynth®plus	Version 1.3
Viscosity, kinematic	1.77 mm2/s at 68 °F (20 °C) Method: OECD Test Guideline 114	
	1.23 mm2/s at 104 °F (40 °C) Method: OECD Test Guideline 114	

SECTION 10. Stability and reactivity

Reactivity

Vapors may form explosive mixture with air.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

Risk of explosion with:

dicyanofurazan, N-nitrosoacetanilide, N-perchlorylpiperidine

Exothermic reaction with:

Strong oxidizing agents, fire-promoting substances

Conditions to avoid

Warming.

Incompatible materials

no information available

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Inhalation, Eye contact, Skin contact

Acute oral toxicity LD50 Rat: 740 mg/kg US-EPA

Symptoms: Nausea, Vomiting, Burns of:, mouth, oesophagus, Gastrointestinal tract

Acute inhalation toxicity LC50 Rat: 4.8 mg/l; 4 h ; vapor OECD Test Guideline 403

Corrosive to respiratory system.

Product number845111Version 1.3Product namePiperidine Msynth®plus

Symptoms: mucosal irritations, Cough, Shortness of breath, Lung edema, damage of respiratory tract, The substance has delayed effects.

Acute dermal toxicity LD50 Rabbit: 275 mg/kg (External MSDS)

Skin irritation Rabbit Result: Corrosive OECD Test Guideline 404

Causes burns.

Eye irritation Rabbit Result: Irreversible effects on the eye OECD Test Guideline 405

Causes serious eye damage. Risk of blindness!

Sensitization Buehler Test Guinea pig Result: negative Method: US-EPA

Genotoxicity in vivo Micronucleus test Mouse Result: negative Method: OECD Test Guideline 474

Genotoxicity in vitro In vitro mammalian cell gene mutation test Chinese hamster lung cells Result: negative Method: OECD Test Guideline 476

Specific target organ systemic toxicity - single exposure The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC	No ingredient of this product present at levels greater than or
	equal to 0.1% is identified as probable, possible or confirmed
	human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or

Product number	845111	Version 1.3
Product name	Piperidine Msynth®plus	
	equal to 0.1% is on OSHA's list of regulated carcinogens.	
NTP	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a known or anticipated carcinogen	
	by NTP.	
ACGIH	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by ACGIH.	

Further information

After absorption:

Salivation, Shortness of breath, muscular symptoms, rise in blood pressure, Impairment of vision, Thirst, Headache, paralysis symptoms, respiratory paralysis, death Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments. This substance should be handled with particular care.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish static test LC50 Leuciscus idus (Golden orfe): 68.12 mg/l; 96 h DIN 38412

Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): 19 mg/l; 48 h Analytical monitoring: yes OECD Test Guideline 202

Toxicity to algae static test ErC50 Desmodesmus subspicatus (green algae): 106 mg/l; 72 h Analytical monitoring: yes OECD Test Guideline 201

static test EC10 Desmodesmus subspicatus (green algae): 8.25 mg/l; 72 h Analytical monitoring: yes OECD Test Guideline 201

Toxicity to bacteria static test EC20 activated sludge: > 2,000 mg/l; 0.5 h OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) semi-static test NOEC Daphnia magna (Water flea): 3.8 mg/l; 21 d

Analytical monitoring: yes

OECD Test Guideline 211

Persistence and degradability

Biodegradability ca. 67 %; 14 d; aerobic OECD Test Guideline 301C Readily biodegradable.

Product number	845111
Product name	Piperidine Msynth®plus

Version 1.3

Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: 0.84 (experimental) (Lit.) Bioaccumulation is not expected.

Mobility in soil

No information available.

Additional ecological information Hazard for drinking water supplies. Harmful effect due to pH shift. Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT) UN number	UN 2401
Proper shipping name	
Class Packing group	8 (3) I
Environmentally hazardous	
Air transport (IATA)	
UN number	UN 2401
Proper shipping name	PIPERIDINE
Class	8 (3)
Packing group	I
Environmentally hazardous	
Special precautions for user	no
Sea transport (IMDG)	
UN number	UN 2401
Proper shipping name	PIPERIDINE
Class	8 (3)
Packing group	I
Environmentally hazardous	
Special precautions for user	yes
EmS	F-E S-C

Product number845111Product namePiperidine Msynth®plus

Version 1.3

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

The following components are subject to reporting levels established by SARA Title III, Section 302:

Ingredients Piperidine

110-89-4

110-89-4

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

DEA List I

Listed Ingredients Piperidine

DEA List II Not listed

US State Regulations

Massachusetts Right To Know

Ingredients Piperidine

Pennsylvania Right To Know

Ingredients Piperidine

New Jersey Right To Know

Ingredients Piperidine

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Product number Product name	845111 Piperidine Msynth®plus	Version 1.3
Notification status TSCA:	All components of the product are listed in the TSCA-inventory.	
DSL:	All components of this product are on the Canadian DSL	

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.



Signal Word Danger

Hazard Statements
H225 Highly flammable liquid and vapor.
H302 Harmful if swallowed.
H311 + H331 Toxic in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.

Precautionary Statements

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician. Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Product number	845111	Version 1.3
Product name	Piperidine Msynth®plus	

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date10/23/2017

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.