

# SAFETY DATA SHEET

Issue Date 18-Feb-2019

Revision Date 09-Mar-2020 Version 1.3

Page 1/13

## **1. IDENTIFICATION**

<u>Product identifier</u> Product Name	Chloride Ionic Strength Adjustment Buffer Powder Pillows
Other means of identification Product Code(s)	2318069
Safety data sheet number	M00123
<u>Recommended use of the chemica</u> Recommended Use Uses advised against Restrictions on use	<u>I and restrictions on use</u> Buffer. None. None.
Recommended use of the chemical Recommended Use Uses advised against	I and restrictions on use Buffer. None.

Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

#### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

## Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

Signal word Danger



Issue Date 18-Feb-2019 Version 1.3

Product Name Chloride Ionic Strength Adjustment Buffer Powder Pillows Revision Date 09-Mar-2020 Page 2/13

Hazard statements H315 - Causes skin irritation H318 - Causes serious eye damage

#### **Precautionary statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P332 + P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

Other Hazards Known

May be harmful if swallowed Harmful to aquatic life

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance

Not applicable

**Mixture** 

#### Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Sodium sulfate	7757-82-6	40 - 50%	-
Butanedioic acid	110-15-6	7 - 13%	-

## 4. FIRST AID MEASURES

#### Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Burning sensation.
Indication of any immediate medica	al attention and special treatment needed

EN / AGHS

Issue Date 18-Feb-2019 Version 1.3 Product NameChloride Ionic Strength Adjustment BufferPowder PillowsO9-Mar-2020Page3 / 13

Note to physicians	Treat symptomatically.
--------------------	------------------------

5. FIRE-FIGHTING MEASURES				
	J. TIKE-HOFTING WEAGURES			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.			
Specific hazards arising from the chemical	No information available.			
Hazardous combustion products	Carbon monoxide, Carbon dioxide. Sodium oxides. Sulfur oxides.			
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
	6. ACCIDENTAL RELEASE MEASURES			
U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.			
Personal precautions, protective equipment and emergency procedures				
Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation.			
Other Information	Refer to protective measures listed in Sections 7 and 8.			
Environmental precautions				
Environmental precautions	Prevent further leakage or spillage if safe to do so.			
Methods and material for containm	ent and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Pick up and transfer to properly labeled containers.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
Reference to other sections	See section 8 for more information. See section 13 for more information.			

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Issue Date 18-Feb-2019 Version 1.3 Product NameChloride Ionic Strength Adjustment BufferPowder PillowsO9-Mar-2020Page4 / 13

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.
Flammability class	Not applicable

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies
Appropriate engineering controls Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hand Protection	Wear suitable gloves. Impervious gloves.
Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
General Hygiene Considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Odor	powder None	Solid		Color Odor threshold	white No data available
Property_			Values		Remarks • Method
Molecular weigh	nt		No data availa	ble	
рН			4.87		
Melting point/fre	ezing point		186 °C / 36	7 °F	
Boiling point / b	oiling range		No data availa	ble	
Evaporation rate	e		Not applicable		

Issue Date 18-Feb-2019 Version 1.3

Vapor pressure	Not applicable
Vapor density (air = 1)	Not applicable
Specific gravity (water = 1 / air = 1)	2.28
Partition Coefficient (n-octanol/water)	log Kow ~ -2.58
Soil Organic Carbon-Water Partition	log K <sub>oc</sub> ~ -0.42
Autoignition temperature	No data available
Decomposition temperature	No data available
Dynamic viscosity	Not applicable
Kinematic viscosity	Not applicable

## Solubility(ies)

#### Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

#### **Other Information**

#### **Metal Corrosivity**

Steel Corrosion Rate Aluminum Corrosion Rate 0.13 mm/yr / 0.01 in/yr 1.07 mm/yr / 0.04 in/yr

#### Volatile Organic Compounds (VOC) Content Not applicable

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sodium sulfate	7757-82-6	No data available	-
Butanedioic acid	110-15-6	No data available	Х

**Explosive properties** 

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	Not applicable
Flammability Limit in Air Upper flammability limit Lower flammability limit	No data available No data available

Issue Date 18-Feb-2019 Version 1.3

**Oxidizing properties** 

**Bulk density** 

Product Name Chloride Ionic Strength Adjustment Buffer Powder Pillows Revision Date 09-Mar-2020 Page 6/13

No data available.

No data available

## **10. STABILITY AND REACTIVITY**

**Reactivity** Not applicable.

Chemical stability Stable under normal conditions.

#### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous polymerization** None under normal processing.

Conditions to avoid None known based on information supplied.

#### Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

#### **Hazardous Decomposition Products**

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on Likely Routes of Exposure

#### **Product Information**

Inhalation	May cause irritation of respiratory tract.
Eye contact	Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

#### Acute toxicity

Based on available data, the classification criteria are not met

#### **Product Acute Toxicity Data** No data available.

#### Ingredient Acute Toxicity Data No data available.

Issue Date 18-Feb-2019 Version 1.3

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Butanedioic acid (7 - 13%) CAS#: 110-15-6	Rat LD₅₀	2260 mg/kg	None reported	None reported	Vendor SDS

#### Unknown Acute Toxicity

0.01% of the mixture consists of ingredient(s) of unknown toxicity.

#### Acute Toxicity Estimations (ATE)

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,632.00 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

#### Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

#### Product Skin Corrosion/Irritation Data

No data available.

#### Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium sulfate (40 - 50%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)

#### Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

## Product Serious Eye Damage/Eye Irritation Data

No data available.

#### Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium sulfate (40 - 50%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Butanedioic acid (7 - 13%) CAS#: 110-15-6	Standard Draize Test	Rabbit	0.750 mg	None reported	Corrosive to eyes	ECHA (The European Chemicals Agency)

#### **Respiratory or skin sensitization**

Based on available data, the classification criteria are not met.

#### Product Sensitization Data

No data available.

Issue Date 18-Feb-2019 Version 1.3

#### **Ingredient Sensitization Data**

No data available.

	Chemical name	Test method	Species	Results	Key literature references and sources for data
	Sodium sulfate (40 - 50%)	OECD Test No. 406: Skin	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)
L	CAS#: 7757-82-6	Sensitization			

## STOT - single exposure

Based on available data, the classification criteria are not met.

#### Product Specific Target Organ Toxicity Single Exposure Data No data available.

#### Ingredient Specific Target Organ Toxicity Single Exposure Data No data available.

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Product Specific Target Organ Toxicity Repeat Dose Data No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data No data available.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Product Carcinogenicity Data

No data available.

#### Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Sodium sulfate	7757-82-6	-	-	-	-
Butanedioic acid	110-15-6	-	-	-	-

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of	Does not apply
Labor)	

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product Germ Cell Mutagenicity invitro Data

No data available.

#### Ingredient Germ Cell Mutagenicity invitro Data

No data available.

Chemical name Test Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
--------------------------------	------------------	------------------	---------	--

Issue Date 18-Feb-2019 Version 1.3

Butanedioic acid	DNA inhibition	Human fibroblast	None	None	Positive test result for	RTECS (Registry
(7 - 13%)			reported	reported	mutagenicity	of Toxic Effects of
CAS#: 110-15-6						Chemical
						Substances)

## Product Germ Cell Mutagenicity invivo Data

No data available.

## Ingredient Germ Cell Mutagenicity invivo Data No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

## **Product Reproductive Toxicity Data**

No data available.

### Ingredient Reproductive Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS (Registry of Toxic
(40 - 50%)	TDLo			Other neonatal measures or	Effects of Chemical
CAS#: 7757-82-6				effects	Substances)

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Unknown aquatic toxicity

0.01% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

## Product Ecological Data

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

#### Ingredient Ecological Data

Aquatic Acute Toxicity No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (40 - 50%) CAS#: 7757-82-6	96 hours	None reported	LC50	56 mg/L	IUCLID (The International Uniform Chemical Information Database)
Butanedioic acid (7 - 13%) CAS#: 110-15-6	96 hours	None reported	LC <sub>50</sub>	None reported	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (40 - 50%)	48 Hours	Daphnia magna	EC <sub>50</sub>	3150 mg/L	IUCLID (The International Uniform Chemical Information

Issue Date 18-Feb-2019 Version 1.3 Product NameChloride Ionic Strength Adjustment BufferPowder PillowsO9-Mar-2020Page10 / 13

CAS#: 7757-82-6					Database)
Butanedioic acid	48 Hours	None reported	EC50	918830 mg/L	Estimation through ECOSARS
(7 - 13%)				v1.11 part of the Estimation	
CAS#: 110-15-6					Programs Interface (EPI) Suite <sup>™</sup>
Chemical name	Exposure	Species	Endpoint	Reported	Key literature references and
	time		type	dose	sources for data
Butanedioic acid	96 hours	None reported	EC50	254630 mg/L	Estimation through ECOSARS
(7 - 13%)					v1.11 part of the Estimation
CAS#: 110-15-6					Programs Interface (EPI) Suite <sup>™</sup>

Aquatic Chronic Toxicity No data available.

#### Persistence and degradability

Product Biodegradability Data	
No data available.	

**Bioaccumulation** 

Product Bioaccumulation Data No data available.	
Partition Coefficient (n-octanol/water)	log K <sub>ow</sub> ~ -2.58
Mobility	
Soil Organic Carbon-Water Partition Coefficient	log K <sub>oc</sub> ~ -0.42

Other adverse effects

No information available.

## **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods			
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Do not reuse empty containers.		
<b>Special instructions for disposal</b> Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 alkali, such as soda ash or sodium bicarbonate. Open cold water tap compour the reacted material to the drain.			
14. TRANSPORT INFORMATION			
	14. TRANSPORT INFORMATION		
DOT	14. TRANSPORT INFORMATION   Not regulated		
DOT_ TDG_			
	Not regulated		
TDG	Not regulated		
TDG IATA	Not regulated Not regulated Not regulated		

Issue Date 18-Feb-2019 Version 1.3

#### Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following: UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III. If the item is not regulated, the Chemical Kit classification does not apply.

## **15. REGULATORY INFORMATION**

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories	
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TCSI** - Taiwan Chemical Substances Inventory

**AICS** - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

## **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Issue Date 18-Feb-2019 Version 1.3 Product NameChloride Ionic Strength Adjustment BufferPowder PillowsPowder PillowsRevision Date09-Mar-2020Page12 / 13

## US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium sulfate	-	X	Х
7757-82-6			

## **U.S. EPA Label Information**

Chemical name	FIFRA	FDA
Sodium sulfate	-	21 CFR 186.1797
Butanedioic acid	-	21 CFR 184.1091

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments None

#### **Additional information**

#### Global Automotive Declarable Substance List (GADSL) Not applicable NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X

#### Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH	Immediately Dangerous to Life or Health
ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
NDF	no data

#### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
x	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation

Issue Date 18-Feb-2019 Version 1.3 Product NameChloride Ionic Strength Adjustment BufferPowder PillowsPowder PillowsRevision Date09-Mar-2020Page13 / 13

C M	Carcinogen mutagen	R	Reproductive toxicant
Prepared By		Hach Product Compliance Department	
Issue Date		18-Feb-2019	
Revision Date		09-Mar-2020	
<b>Revision Note</b>		None	

#### **Disclaimer**

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2019

**End of Safety Data Sheet**