

## **Material Safety Data Sheet**

Y/Ref. : O/Ref.: US

ZINC OXIDE EPM-E

ISSUED DATE

REVISED DATE

04/20/1993

27.07.1998

Importer : SOGEM USA Inc. Magnolia building, Suite 110 3120 Highwoods Boulevard Raleigh, NC 27604

Emergency Telephone Number: transport emergencies: CHEMTREC

phone (800) 424 - 9300

Telephone Number for General Information: 919 874 7171

Hazardous components CAS Nr.

Weight % OSHA : PEL-TWA

ACGIH: TLV - TWA

Remarks

Zinc oxide

1314-13-2 99.5

ZnO fume: 5mg/m3

ZnO fume: 5n)g/m3 - STEL: 10 mg/m3

ZnO total dust: 15 mg/m<sup>3</sup> ZnO dust: 10 mg/m3

respirable fraction: 5 mg/m3

Boiling Point

Specific Gravity (H,O = 1)

: 5.6

Vapor Pressure (mm Hg.): N/A

**Melting Point** 

: 1970°C

Vagor Density (AIR = 1) : N/A

Evaporation Rate (butyl scatate = 1) : N/A

Solubility in Water

: insoluble in water.

Appearance and Odor

: powder, odorless.

Fiash Point (Method Used): N/A

Flammable Limits: N/A

LEL : ...

UEL ...

Extinguishing Media: a) recommended: any extinguishing media can be used.

b) to avoid : none known.

Special Fire Fighting Procedures: Fire Fighters should wear proper protective clothing and approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards: at very high temperatures, harmful fumes may be formed.

TEL:9198747195

P. 004

Producmame: zinc oxide EPN

REACTIVITYDATA

Stability:

Unstable : no.

Conditions to Avoid: none known.

Stable : yes.

Incompatibility (Materials to Avoid): none known.

Hazardous Decomposition or Byproducts: none.

Hazardous Polymerization:

May occur : no.

Conditions to avoid : none known.

Will not occur : yes.

Possible routes of entry: Inhalation: x

Ingestion: x

Skin:

Acute hazards:

Inhalation :

LC, inhalation, mouse: 2500 mg/m3. Inhalation is irritating for the respiratory tract.

Zinc fever may be caused by freshly formed fumes of ZnO during the manufacturing process, but not be the product as it is packed and sold.

Ingestion:

LD<sub>so</sub> oral, mouse: 7950 mg/kg.

Large oral doses may produce intestinal obstruction and nausea, fever and stomach cramps.

Skin contact:

Excessive skincontact may cause itching.

Eye contact:

Pulverulent product : moderately irritating to the eyes.

Chronic Effects:

No data available.

Irritation/sensitization:

Moderately irritating.

Medical conditions which may be aggravated by exposure:

None knowa.

P 005

3

Productname : zine oxide EPM

#### Emergency and first aid procedures:

Inhalation: In case of Inhalation, terminate exposure immediately and move to fresh air. If necessary, obtain medical

attention.

Ingestion: Drink lots of water immediately. Contact a physician.

Skin contact: Wash with soap and water.

Eye contact : Rinse eyes with large amounts of water, including under eyelids. Obtain medical attention if irritation occurs.

### SECTION VII - PRECADITIONS FOR SAME HANDLING AND USB

### Steps to be taken in case material is released or spilled:

Collect spilled zincoxide by any suitable means and return to process, or to producer for recovery. Use approved respiratory protection against furnes/dust if the occupational exposure limit could be exceeded. Prevent zincoxide from entering into surfacewaters.

Waste disposal method:

Waste disposal methods must comply with federal, state and local disposal or discharge laws. Zinc oxide should be recycled.

Precautions to be taken in handling and storing :

Avoid breathing furnes or dust, and contact with skin and eyes. Use approved respirators if the occupational exposure limit is exceeded.

Normal storage conditions in order to avoid deterioration of the product by carbonization, but presenting no risks for the operators and the natural environment.

Other precautions:

No other special precautions needed.

# OPCHIONE THE REPORT OF THE PARTY OF THE PART

#### Respiratory protection (specific type) :

Approved respiratory protection (dust mask) is required if airborne dust concentration exceeds the occupational exposure limits. Periodic air quality testing is needed to insure adherence to acceptable levels.

Ventilation :

Use sufficient local exhaust ventilation to keep dust and fume concentrations below occupational exposure limits.

Protective gloves:

Wenr suitable gloves.

Eye protection:

Wear safety glasses.

Other protective clothing or equipment :

No other special precautions needed.

Work/Hygienic Practices:

Practise good personal hygiene procedures. Wash hands prior to eating, drinking or smoking. Avoid ingestion or inhalation of zincoxide.

General:

Produciname: zinc oxide EPA

·									
SECTIONE		ADDITIONAL INFO	RM.	THO	V.				L Pro
TRANSPORT		MATION :							
IMDG-Code:	"	4							
ICAO/IATA:	н	Ü							
ADR/RID nr.:	••	Þ							
REGULATOR	Y INFO	RMATION:							
a) CERCLA Hazardous Substance : Reportable quantity : 1 lb (*)				yes		] no			
b) SARA, title !	III, Extre	mely Hazardous Substance		yes		AO .			
		: not applicable	-	-	·				
Treshold planning quantity: not applicable									
c) Toxic Chemical Release Report									
Zinc (fume or dust) is subject to the reporting requirements of Section 313 of the Emergency Planning and									
Community Right-to-know Act of 1986 and 40 CFR Part 372. d) Zinc compounds are listed under TSCA approval.									
(#) No recording	ofreles	nsten under 15CA approval. se of this hazardous substance is	e requi	earl If c	hadta.		h1	-6 sh11.4	
to or exceeds	100 mi	crometers (0.004 inches).	a i eda:	nes it t	iie aiai	iveret of t	ne biecez	or me solio ma	etat is eduai
-		<b>(</b> ,							
REFERENCES	1								
PERMISSIBLE	CONC	ENTRATION REFERENCE	S						
- OSHA (U.S. Occupational Safety & Health Administration, PEL : Permissible Exposure Limit).									
- ACGIH TLV - TWA: American Conference of Governmental Industrial Hygienists (Threshold Limit Value - Time									
Weighted Average), edition 1997.									
UAZADA DIE	ODI4.7	YAN DEPENENCES							
HAZARD INFORMATION REFERENCES - RTECS: Registry of Toxic Effects of Chemical Substances; NIOSH, edition January 1997.									
TARMON MEN	m j VI L	AVIA ETTERM AT ATICITIEM SHOPE	HICEZ,	MOSE	ار حويرا	AN 1900S	א ואאוי.		
GENERAL									
	ıs Prope	rties of Industrial Materials, 8th	editio	n. Rici	hard I	Lewis S	•9		
75552-55							•		
Prepared by :	TIMO	CYDE Nederland				71111	· · · · · ·		
e rehutes nå :		nweg 2							

NL - 6245 AB Eijsden (The Netherlands)

This Material Safety Data Sheet should be made available by the buyer to each of buyer's plant workers.

The buyer assumes all risk in connection with the use and handling of the material. The seller assumes no responsibility or liability in connection with the information supplied in this sheet or for any damage or injury caused by the material; reasonable safety procedures should be followed. The seller assumes no responsibility for injury or damage caused by use of the material even if reasonable safety procedures are followed. The information contained in this sheet is developed from what is believed to be accurate and reliable sources but the seller makes no warranties, either expressed or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

ă